LISTING OF THE CLAIMS

Although the Applicants do not presently amend the claims, the Applicants submit the following listing of claims, which replace all previous versions and listing of claims in the present application.

1. (withdrawn) A method for remotely servicing a medical diagnostic imaging system, the method comprising:

providing a shared computing environment for a remote computing system coupled to a medical diagnostic imaging system; and

collaboratively interacting with the remote computing system via the shared computing environment to service the medical diagnostic imaging system.

- (withdrawn) The method of claim 1, wherein providing the shared computing environment comprises facilitating user collaboration between a plurality of remote computing systems via a network.
 - 3. (withdrawn) The method of claim 2, comprising communicating through the Internet.
- 4. (withdrawn) The method of claim 1, wherein providing the shared computing environment comprises providing a shared interface to interact with the remote computing system.
- 5. (withdrawn) The method of claim 4, wherein providing the shared interface comprises providing shared control of the remote computing system via the shared interface.
- 6. (withdrawn) The method of claim 4, wherein providing the shared interface comprises simulating a graphical user interface of the remote computing system.

- 7. (withdrawn) The method of claim 6, wherein simulating the graphical user interface comprises capturing screen data for a screen of the remote computing system.
- 8. (withdrawn) The method of claim 1, wherein providing the shared computing environment comprises capturing transmitting and caching screen data between the remote computing system and a desired computing system via the shared computing environment.
- 9. (withdrawn) The method of claim 1, wherein providing the shared computing environment comprises facilitating communication between a plurality of operating systems.
- 10. (withdrawn) The method of claim 1, wherein collaboratively interacting with the remote computing environment comprises remotely monitoring the medical diagnostic imaging system.
- I1. (withdrawn) The method of claim 1, wherein collaboratively interacting with the remote computing environment comprises remotely executing a service procedure for the medical diagnostic imaging system.
- 12. (withdrawn) The method of claim 1, wherein collaboratively interacting with the remote computing environment comprises remotely controlling a service program disposed on the remote computing system.
- 13. (withdrawn) The method of claim 1, wherein collaboratively interacting with the remote computing environment comprises remotely interacting with a user of the medical diagnostic imaging system.

- 14. (withdrawn) The method of claim 13, comprising remotely guiding the user through a service procedure by collaboratively interacting with a shared graphical user interface viewable by the user and by a remote service echnician.
- 15. (withdrawn) The method of claim 1, wherein collaboratively interacting with the remote computing environment comprises interacting with a UNIX operating system.
- 16. (original) A method for remotely training persons having a medical diagnostic imaging system, the method comprising:

providing a collaborative computing environment between a trainee and a remote trainer for a medical diagnostic imaging system; and

interactively instructing the trainee via the collaborative computing environment.

- 17. (original) The method of claim 16, wherein providing the collaborative computing environment comprises interacting with a UNIX operating system.
- 18. (original) The method of claim 16, wherein providing the collaborative computing environment comprises providing a shared user interface.
- 19. (original) The method of claim 18, wherein providing the shared user interface comprises capturing, transmitting and caching screen data between computing systems for the trainee and the trainer.
- 20. (original) The method of claim 18, wherein providing the shared user interface comprises providing mutual operability of an application configured for training the trainee.
- 21. (original) The method of claim 18, wherein providing the shared user interface comprises simulating a graphical user interface for the medical diagnostic imaging system.

22. (original) The method of claim 21, wherein simulating the graphical user interface comprises:

capturing screen data for a display of the medical diagnostic imaging system; and transmitting the screen data to a remote display of the remote trainer.

- 23. (original) The method of claim 16, wherein interactively instructing the trainee comprises remotely interacting with an operating system for the medical diagnostic imaging system.
- 24. (original) The method of claim 23, wherein remotely interacting with the operating system comprises platform-independently interacting with the operating system.
- 25. (original) The method of claim 16, wherein interactively instructing the trainee comprises remotely initiating events in the medical diagnostic imaging system.
- 26. (original) The method of claim 16, wherein interactively instructing the trainee comprises remotely responding to operations of the medical diagnostic imaging system.
- 27. (original) The method of claim 16, wherein interactively instructing the trainee comprises remotely interacting with a plurality of geographically separate trainees via the collaborative computing environment.
- 28. (original) A method for collaborating between remote computing environments, including a medical diagnostic imaging system, the method comprising:

initiating a link between remote computing environments;

sharing a graphical user interface with the remote computing environments; and collaboratively interacting with a medical diagnostic imaging system coupled to one of the remote computing environments.

- 29. (original) The method of claim 28, wherein initiating the link comprises communicating between a plural ty of distinct operating systems for the remote computing environments.
- 30. (original) The method of claim 28, wherein sharing the graphical user interface comprises providing independent and mutual control of an application associated with the graphical user interface.
- 31. (original) The method of claim 28, wherein sharing the graphical user interface comprises:

capturing screen data for a first display of a first one of the remote computing environments; and

transmitting the screen data to a second display of a second one of the remote computing environments.

- 32. (original) The method of claim 31, wherein sharing the graphical user interface comprises caching the screen data on a memory assembly.
- 33. (original) The method of claim 28, wherein collaboratively interacting with the medical diagnostic imaging system comprises collaborating operations with a plurality of persons operating the remote computing environments.
- 34. (original) A system for collaboratively interacting between remote computing environments associated with a midical diagnostic imaging system, the system comprising:
 - a first computing system coupled to a medical diagnostic imaging system;
 - a second computing system remotely coupled to the first computing system via a network;

and

- a user interface shared by the first and second computing systems for collaboratively interacting with the medical diagnostic imaging system.
- 35. (original) The system of claim 34, wherein the user interface comprises a graphical interface operable on one of the first and second computing systems.
- 36. (original) The system of claim 35, wherein the graphical interface is simulated on a different one of the first and second computing systems.
- 37. (original) The system of claim 36, wherein the first computing system comprises an application providing the graphical interface and the second computing system comprises a simulation of the graphical interface.
- 38 (original) The system of claim 37, wherein the simulation comprises screen data corresponding to the graphical interface.
- 39. (original) The system of claim 37, wherein the user interface facilitates mutual control of the application by both the first and the second computing systems.
- 40. (original) The system of claim 37, wherein the user interface facilitates real time shared operability of the medical diagnostic imaging system.
- 41. (original) The system of claim 40, comprising a safety routine to prevent undesirable operation of the medical diagnostic imaging system.
- 42. (original) The system of claim 40, comprising a cache memory assembly coupled to the network for caching screen data for the user interface.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.